

YourNewStyle.pl WebAPI

Karo-Net.pl
Version 1.1.2
03.07.2015

Spis treści

Introduction.....	4
Functions Documentation.....	5
addToCartParty (\$idProduct).....	5
Parameters:.....	5
Returns:.....	5
addToCartProduct (\$idProduct, \$sizes).....	5
Parameters:.....	5
Returns:.....	5
doNewOrder (\$params).....	5
Parameters:.....	5
Returns:.....	5
getAllProducts ().....	5
Returns:.....	5
getCategories ().....	5
Returns:.....	5
getCountries ().....	5
Returns:.....	5
getDeliveryTypes (\$countryId, \$dropshipping).....	5
Parameters:.....	6
Returns:.....	6
getOrder (\$idOrder).....	6
Parameters:.....	6
Returns:.....	6
getOrders ().....	6
Returns:.....	6
getProductById (\$idProduct).....	6
Parameters:.....	6
Returns:.....	6
getProductDay ().....	6
Returns:.....	6
getProductsByCategoryId (\$idCategory).....	6
Parameters:.....	6
Returns:.....	6
getProductsHarbinger ().....	6
Returns:.....	6
getProductsLastCollection ().....	6
Returns:.....	7
getProductsSale ().....	7
Returns:.....	7
login (\$login, \$password, \$currency = ", \$lang = ").....	7
Parameters:.....	7
Returns:.....	7
setOrderToSend (\$idOrder).....	7
Parameters:.....	7
Returns:.....	7

Examples.....	8
Login to WebAPI.....	8
Make new order.....	8
Error codes.....	9

Introduction

YourNewStyle WebAPI is available on <http://yournewstyle.pl/webAPI/index.php?wsdl> This is made by SOAP technology. Currently WebAPI is available for all registered on website user. To login you should use your username and password from website.

Below firstly we describe all methods available on API. Then are some examples of use. At the end of this documentation is table with error codes.

Functions Documentation

addToCartParty (*\$idProduct*)

This method add product party to cart

Parameters:

int	<i>\$idProduct</i>	product ID
-----	--------------------	------------

Returns:

string

addToCartProduct (*\$idProduct*, *\$sizes*)

This method add product to cart

Parameters:

int	<i>\$idProduct</i>	product ID
array	<i>\$sizes</i>	array of sizes ex. array('s' => 1, 'm' => 2)

Returns:

string

doNewOrder (*\$params*)

This method generate new order

Parameters:

array	<i>\$params</i>	parameters of order (describe in examples at the end of this documentation)
-------	-----------------	---

Returns:

array order data

getAllProducts ()

This method return list of all products

Returns:

array list of all products

getCategories ()

This method return list of all categories with subcategories

Returns:

array list of categories

getCountries ()

This method return list of countries available on site

Returns:

array

getDeliveryTypes (*\$countryId*, *\$dropshipping*)

This method return list of available delivery types for country

Parameters:

int	<i>\$countryId</i>	country ID
int	<i>\$dropshipping</i>	1 - for dropshipping order, 0 for standard order

Returns:

array list of delivery types

getPayTypes ()

This method return list of available pay types

Parameters:**Returns:**

array list of pay types

getOrder (\$idOrder)

This method return order

Parameters:

int	<i>\$idOrder</i>	order ID
-----	------------------	----------

Returns:

array order data

getOrders ()

This method return list of your orders

Returns:

array list of orders

getProductByld (\$idProduct)

This method return product by product ID

Parameters:

int	<i>\$idProduct</i>	product ID
-----	--------------------	------------

Returns:

array product

getProductDay ()

This method return product of the day

Returns:

array product

getProductsByCategoryId (\$idCategory)

This method return products from category

Parameters:

int	<i>\$idCategory</i>	
-----	---------------------	--

Returns:

array list of products

getProductsHarbinger ()

This method return products that are harbinger

Returns:

array list of products

getProductsLastCollection ()

This method return products from last collection

Returns:

array list of products

getProductsSale ()

This method return products from sale

Returns:

array list of products

login (\$login, \$password, \$currency = '', \$lang = '')

Login to user account.

All action in this webAPI require login.

Parameters:

string	<i>\$login</i>	the same login which using on website
string	<i>\$password</i>	the same password which using on website
string	<i>\$currency</i>	default value is currency set in your account
string	<i>\$lang</i>	default value is language set in your account

Returns:

boolean

setOrderToSend (\$idOrder)

This method set dropshipping orders to send by order ID

Parameters:

int	<i>\$idOrder</i>	order ID
-----	------------------	----------

Returns:

string

cancelOrder(\$idOrder)

This method cancel orders made form webAPI by order ID

Parameters:

int	<i>\$idOrder</i>	order ID
-----	------------------	----------

Returns:

boolean

Examples

Login to WebAPI

```
// initialize new soap client
$client = new SoapClient("http://yournewstyle.pl/webAPI/index.php?wsdl");
// login in try-catch
try {
    // use method of api to login using your username and password
    $client->login('username', 'password', '', '');
    // action after successfully login
    ...
} catch (Exception $ex) {
    // catch the exception
    echo $ex->faultcode;
    // action after login error
    ...
}
```

Make new order

```
...
// after successfully login and add products to cart
// array of order parameters
$order['dropshipping'] = 1; // dropshipping or standard order
$order['dropshippingSendNow'] = 0; // send after order or wait for
confirm
$order['dropshippingAddress'] = 'Jan Kowalski, 58-500 Jelenia
Góra, ul. Sezamkowa 10/1'; // address to send dropshipping order
$order['sentCountry'] = 171; // sent country ID
$order['payType'] = 3; // ID of paytype
$order['idDeliveryType'] = 31; // ID of delivery type
$order['contactPhone'] = '883372441';
$order['sentName'] = 'John';
$order['sentSurname'] = 'Smith';
$order['sentFirmname'] = 'Smith company';
```



```

$order['sentAddress'] = 'test street 11/23';
$order['sentPostCode'] = '12-345';
$order['sentTown'] = 'New York';
$order['comment'] = 'This is test order making by WebAPI'; //
additional information to seller
// $order['discount_code'] = ''; // if you have you can use a
discount coude

try {
    $client->doNewOrder($order);
} catch (Exception $ex) {
    // catch the exception
    echo $ex->faultcode;
}

```

Error codes

Error code	Error description
101	Login error - username or password is incorrect
102	Login error - your account is not activated.
103	Login error - your account is blocked
104	Login error - to execute this method you have to login.
201	Cart error - stock of this product is to low.
202	Cart error - this product is not sale in party.
203	Cart error - stock of this product is to low.
301	Order error - your cart is empty.
302	Order error - your minimal shopping value is higher than value of your cart.
303	Order error - discount code is incorrect.
304	Order error - parameter dropshipping is not specifed.
305	Order error - parameter dropshipping value is incorrect.
306	Order error - parameter dropshippingSendNow is not specifed.
307	Order error - parameter dropshippingAddress is not specifed.
308	Order error - parameter sentCountry is not specifed.
309	Order error - parameter payType is not specifed.
310	Order error - parameter payType value is incorrect.
311	Order error - parameter idDeliveryType value is no specifed.
312	Order error - parameter idDeliveryType value is incorrect.
313	Order error - parameter contactPhone value is no specifed.

314	Order error - parameter sentName value is no specified.
315	Order error - parameter sentSurname value is no specified.
316	Order error - parameter sentFirmname value is no specified.
317	Order error - parameter sentAddress value is no specified.
318	Order error - parameter sentPostCode value is no specified.
319	Order error - parameter sentTown value is no specified.